



TECHSOVAL
ENGINEERING SOLUTIONS



TECHNICAL DATA AND INSTALLATION GUIDE

TES-CVR COMBI BOX WITH GRILLE AND ADJUSTABLE AIR INTAKE

TECHSOVAL ENGINEERING SOLUTIONS S.R.L.

VAT CODE: RO4328545 No. Registrar of Companies: J2020003618129

Address: GILAU, FARM 7, HALL 9, 407310, CLUJ, ROMANIA, Tel.: +40 772 272 690; Email: office@techsoval.ro, website: www.techsoval.ro

IBAN code (EUR): RO53BTRLBURCRT0574794001; Bank: BANCA TRANSILVANIA; SWIFT: BTRLRO22;

IBAN code (RON): RO06BTRLRONCRT0574794001; Bank: BANCA TRANSILVANIA; SWIFT: BTRLRO22

TES-CVR COMBI BOX WITH GRILLE AND ADJUSTABLE AIR INTAKE

- Material: galvanizing steel ZN275, powder coated

- The TES-CVR Combi Box with Grille and adjustable air intake is suitable for mounting on outside walls.
- The combi box has been designed so that the fresh air intake and exhaust air are very well separated to avoid mixing.
- The combi box can be mounted with the exhaust-air outlet either on the right or the left.
- Standard powder-coated is: black (RAL 9005), and white (RAL 9010 or RAL9003).




- TES - Item Number:**

TES-Item Number	Product Description
1110125-B	TES-CVR Combi Box with Grille, Ø125, Black, RAL 9005, with adjustable air intake
1110125-W	TES-CVR Combi Box with Grille, Ø125, White, RAL 9003, with adjustable air intake
1110160-B	TES-CVR Combi Box with Grille, Ø160, Black, RAL 9005, with adjustable air intake
1110160-W	TES-CVR Combi Box with Grille, Ø160, White, RAL 9003, with adjustable air intake
1110200-B	TES-CVR Combi Box with Grille, Ø200, Black, RAL 9005, with adjustable air intake
1110200-W	TES-CVR Combi Box with Grille, Ø200, White, RAL 9003, with adjustable air intake
1110250-B	TES-CVR Combi Box with Grille, Ø250, Black, RAL 9005, with adjustable air intake
1110250-W	TES-CVR Combi Box with Grille, Ø250, White, RAL 9003, with adjustable air intake

- Technical Parameters**

- **Products Dimension:**


TES-CGS	A	B	C	D	Ø E
Ø125	500	235	100	CC 185 to CC 250	125
Ø160	500	235	100	CC 215 to CC 260	160
Ø200	620	315	100	CC 255 to CC 356	200
Ø250	720	365	100	CC 310 to CC 430	250




➤ **Performances- Graphs :**

1. TES-CVR Combi Box Fresh Air

Technical Data TES-CVR / 24.07.2024 / REV.0



2. TES-CVR Combi Box Exhaust Air



- **Installation:**

- ✚ The TES-CVR Combi Box with Grille is easily mounted on the wall by removing the front part by unscrewing the 6 screws on the part sides and mounting the back piece to the wall with 4 screws.

- ✚ The combi box can be mounted with the exhaust-air outlet either on the right or the left.

- ✚ We recommend using a sealant between the back piece of the combi box with grille and wall to avoid water entering the building.